



Preisliste
ProLuce® LED Panel

2023/7

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
LED Panel PIAZZA/SP (Standard-Panel)			
2510001	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	2700K, 1800 lm, 120°, IP40, weiss, nicht dimmbar	113.00
2510001-D	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	2700K, 1800 lm, 120°, IP40, weiss, DALI-2	226.00
2510001-D8	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	2700-6500K, 1800 lm, 120°, IP40, weiss, DALI-2 DT8	237.00
2510001-V	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	2700K, 1800 lm, 120°, IP40, weiss, 0-10V dimmbar	152.50
2510002	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	3000K, 1800 lm, 120°, IP40, weiss, nicht dimmbar	113.00
2510002-D	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	3000K, 1800 lm, 120°, IP40, weiss, DALI-2	226.00
2510002-V	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	3000K, 1800 lm, 120°, IP40, weiss, 0-10V dimmbar	152.50
2510003	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	4000K, 1800 lm, 120°, IP40, weiss, nicht dimmbar	113.00
2510003-D	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	4000K, 1800 lm, 120°, IP40, weiss, DALI-2	226.00
2510003-V	ProLuce® LED Panel PIAZZA/SP 295x295x10 mm 18W	4000K, 1800 lm, 120°, IP40, weiss, 0-10V dimmbar	152.50
2510011	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	2700K, 2400 lm, 120°, IP40, weiss, nicht dimmbar	117.00
2510011-D	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	2700K, 2400 lm, 120°, IP40, weiss, DALI-2	231.00
2510011-D8	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	2700-6500K, 2400 lm, 120°, IP40, weiss, DALI-2 DT8	242.00
2510011-V	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	2700K, 2400 lm, 120°, IP40, weiss, 0-10V dimmbar	157.50
2510012	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	3000K, 2400 lm, 120°, IP40, weiss, nicht dimmbar	117.00
2510012-D	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	3000K, 2400 lm, 120°, IP40, weiss, DALI-2	231.00
2510012-V	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	3000K, 2400 lm, 120°, IP40, weiss, 0-10V dimmbar	157.50
2510013	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	4000K, 2400 lm, 120°, IP40, weiss, nicht dimmbar	117.00
2510013-D	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	4000K, 2400 lm, 120°, IP40, weiss, DALI-2	231.00
2510013-V	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 24W	4000K, 2400 lm, 120°, IP40, weiss, 0-10V dimmbar	157.50
2510021	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	122.00
2510021-D	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, DALI-2	237.00
2510021-D8	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	2700-6500K, 3000 lm, 120°, IP40, weiss, DALI-2 DT8	249.50
2510021-V	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	164.00
2510022	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	122.00
2510022-D	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, DALI-2	237.00
2510022-V	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	164.00
2510023	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	122.00
2510023-D	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, DALI-2	237.00
2510023-V	ProLuce® LED Panel PIAZZA/SP 295x595x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	164.00
2510031	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	2700K, 3200 lm, 120°, IP40, weiss, nicht dimmbar	129.50
2510031-D	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	2700K, 3200 lm, 120°, IP40, weiss, DALI-2	291.00
2510031-D8	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	2700-6500K, 3200 lm, 120°, IP40, weiss, DALI-2 DT8	305.50
2510031-V	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	2700K, 3200 lm, 120°, IP40, weiss, 0-10V dimmbar	172.00
2510032	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	3000K, 3200 lm, 120°, IP40, weiss, nicht dimmbar	129.50
2510032-D	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	3000K, 3200 lm, 120°, IP40, weiss, DALI-2	291.00
2510032-V	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	3000K, 3200 lm, 120°, IP40, weiss, 0-10V dimmbar	172.00
2510033	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	4000K, 3200 lm, 120°, IP40, weiss, nicht dimmbar	129.50
2510033-D	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	4000K, 3200 lm, 120°, IP40, weiss, DALI-2	291.00
2510033-V	ProLuce® LED Panel PIAZZA/SP 295x895x10 mm 32W	4000K, 3200 lm, 120°, IP40, weiss, 0-10V dimmbar	172.00
2510041	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	2700K, 4000 lm, 120°, IP40, weiss, nicht dimmbar	142.50
2510041-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	2700K, 4000 lm, 120°, IP40, weiss, DALI-2	267.50
2510041-D8	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	2700-6500K, 4000 lm, 120°, IP40, weiss, DALI-2 DT8	281.00
2510041-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	2700K, 4000 lm, 120°, IP40, weiss, 0-10V dimmbar	188.50
2510042	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	3000K, 4000 lm, 120°, IP40, weiss, nicht dimmbar	142.50
2510042-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	3000K, 4000 lm, 120°, IP40, weiss, DALI-2	267.50
2510042-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	3000K, 4000 lm, 120°, IP40, weiss, 0-10V dimmbar	188.50
2510043	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	4000K, 4000 lm, 120°, IP40, weiss, nicht dimmbar	142.50
2510043-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	4000K, 4000 lm, 120°, IP40, weiss, DALI-2	267.50

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2510043-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 40W	4000K, 4000 lm, 120°, IP40, weiss, 0-10V dimmbar	188.50
2510051	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	152.50
2510051-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, DALI-2	310.50
2510051-D8	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	2700-6500K, 4800 lm, 120°, IP40, weiss, DALI-2 DT8	325.50
2510051-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	200.50
2510052	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	152.50
2510052-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, DALI-2	310.50
2510052-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	200.50
2510053	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	152.50
2510053-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, DALI-2	310.50
2510053-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	200.50
2510061	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	163.00
2510061-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	347.00
2510061-D8	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	2700-6500K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	364.50
2510061-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510062	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	163.00
2510062-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	347.00
2510062-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510063	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	163.00
2510063-D	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	347.00
2510063-V	ProLuce® LED Panel PIAZZA/SP 595x595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510071	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	173.00
2510071-D	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, DALI-2	315.50
2510071-D8	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	2700-6500K, 4200 lm, 120°, IP40, weiss, DALI-2 DT8	331.50
2510071-V	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510072	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	173.00
2510072-D	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, DALI-2	315.50
2510072-V	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510073	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	173.00
2510073-D	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, DALI-2	315.50
2510073-V	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510081	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	213.50
2510081-D	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	409.00
2510081-D8	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	2700-6500K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	429.50
2510081-V	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	273.50
2510082	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	213.50
2510082-D	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	409.00
2510082-V	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	273.50
2510083	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	213.50
2510083-D	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	409.00
2510083-V	ProLuce® LED Panel PIAZZA/SP 620x620x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	273.50
2510091	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	163.00
2510091-D	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, DALI-2	287.00
2510091-D8	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, DALI-2 DT8	301.00
2510091-V	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510092	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	163.00
2510092-D	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, DALI-2	287.00
2510092-V	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510093	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	163.00
2510093-D	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, DALI-2	287.00
2510093-V	ProLuce® LED Panel PIAZZA/SP 145x1195x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510101	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, nicht dimmbar	173.00
2510101-D	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, DALI-2	305.50
2510101-D8	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, DALI-2 DT8	320.50
2510101-V	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510102	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	3000K, 3600 lm, 120°, IP40, weiss, nicht dimmbar	173.00
2510102-D	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	3000K, 3600 lm, 120°, IP40, weiss, DALI-2	305.50
2510102-V	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	3000K, 3600 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2510103	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	4000K, 3600 lm, 120°, IP40, weiss, nicht dimmbar	173.00
2510103-D	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	4000K, 3600 lm, 120°, IP40, weiss, DALI-2	305.50
2510103-V	ProLuce® LED Panel PIAZZA/SP 195x1195x10 mm 36W	4000K, 3600 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510111	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	183.00
2510111-D	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, DALI-2	323.50
2510111-D8	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, DALI-2 DT8	340.00
2510111-V	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	237.00
2510112	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	183.00
2510112-D	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, DALI-2	323.50
2510112-V	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	237.00
2510113	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	183.00
2510113-D	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, DALI-2	323.50
2510113-V	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	237.00
2510121	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	224.00
2510121-D	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	421.00
2510121-D8	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	442.50
2510121-V	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	286.00
2510122	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	224.00
2510122-D	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	421.00
2510122-V	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	286.00
2510123	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	224.00
2510123-D	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	421.00
2510123-V	ProLuce® LED Panel PIAZZA/SP 295x1295x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	286.00
2510131	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	358.00
2510131-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, DALI-2	533.00
2510131-D8	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, DALI-2 DT8	559.50
2510131-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	446.50
2510132	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	358.00
2510132-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, DALI-2	533.00
2510132-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	446.50
2510133	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	358.00
2510133-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, DALI-2	533.00
2510133-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	446.50
2510141	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	396.00
2510141-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	603.50
2510141-D8	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	634.00
2510141-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	492.50
2510142	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	396.00
2510142-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	603.50
2510142-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	492.50
2510143	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	396.00
2510143-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	603.50
2510143-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	492.50
2510151	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, nicht dimmbar	453.00
2510151-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, DALI-2	696.00
2510151-D8	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	2700-6500K, 7200 lm, 120°, IP40, weiss, DALI-2 DT8	730.50
2510151-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, 0-10V dimmbar	560.50
2510152	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	3000K, 7200 lm, 120°, IP40, weiss, nicht dimmbar	453.00
2510152-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	3000K, 7200 lm, 120°, IP40, weiss, DALI-2	696.00
2510152-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	3000K, 7200 lm, 120°, IP40, weiss, 0-10V dimmbar	560.50
2510153	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	4000K, 7200 lm, 120°, IP40, weiss, nicht dimmbar	453.00
2510153-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	4000K, 7200 lm, 120°, IP40, weiss, DALI-2	696.00
2510153-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 72W	4000K, 7200 lm, 120°, IP40, weiss, 0-10V dimmbar	560.50
2510161	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, nicht dimmbar	533.00
2510161-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, DALI-2	792.50
2510161-D8	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, DALI-2 DT8	832.50
2510161-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, 0-10V dimmbar	657.50
2510162	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	3000K, 9000 lm, 120°, IP40, weiss, nicht dimmbar	533.00

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2510162-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	3000K, 9000 lm, 120°, IP40, weiss, DALI-2	792.50
2510162-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	3000K, 9000 lm, 120°, IP40, weiss, 0-10V dimmbar	657.50
2510163	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	4000K, 9000 lm, 120°, IP40, weiss, nicht dimmbar	533.00
2510163-D	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	4000K, 9000 lm, 120°, IP40, weiss, DALI-2	792.50
2510163-V	ProLuce® LED Panel PIAZZA/SP 595x1595x10 mm 90W	4000K, 9000 lm, 120°, IP40, weiss, 0-10V dimmbar	657.50
LED Panel PIAZZA/R (Einbauversion mit Flansch und Snap-In-Federn)			
2510501	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	2700K, 1800 lm, 120°, IP40, weiss, nicht dimmbar	118.00
2510501-D	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	2700K, 1800 lm, 120°, IP40, weiss, DALI-2	226.00
2510501-D8	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	2700-6500K, 1800 lm, 120°, IP40, weiss, DALI-2 DT8	237.00
2510501-V	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	2700K, 1800 lm, 120°, IP40, weiss, 0-10V dimmbar	152.50
2510502	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	3000K, 1800 lm, 120°, IP40, weiss, nicht dimmbar	118.00
2510502-D	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	3000K, 1800 lm, 120°, IP40, weiss, DALI-2	226.00
2510502-V	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	3000K, 1800 lm, 120°, IP40, weiss, 0-10V dimmbar	152.50
2510503	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	4000K, 1800 lm, 120°, IP40, weiss, nicht dimmbar	118.00
2510503-D	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	4000K, 1800 lm, 120°, IP40, weiss, DALI-2	226.00
2510503-V	ProLuce® LED Panel PIAZZA/R 295x295x10 mm 18W	4000K, 1800 lm, 120°, IP40, weiss, 0-10V dimmbar	152.50
2510511	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	2700K, 2400 lm, 120°, IP40, weiss, nicht dimmbar	122.00
2510511-D	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	2700K, 2400 lm, 120°, IP40, weiss, DALI-2	231.00
2510511-D8	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	2700-6500K, 2400 lm, 120°, IP40, weiss, DALI-2 DT8	242.00
2510511-V	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	2700K, 2400 lm, 120°, IP40, weiss, 0-10V dimmbar	157.50
2510512	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	3000K, 2400 lm, 120°, IP40, weiss, nicht dimmbar	122.00
2510512-D	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	3000K, 2400 lm, 120°, IP40, weiss, DALI-2	231.00
2510512-V	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	3000K, 2400 lm, 120°, IP40, weiss, 0-10V dimmbar	157.50
2510513	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	4000K, 2400 lm, 120°, IP40, weiss, nicht dimmbar	122.00
2510513-D	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	4000K, 2400 lm, 120°, IP40, weiss, DALI-2	231.00
2510513-V	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 24W	4000K, 2400 lm, 120°, IP40, weiss, 0-10V dimmbar	157.50
2510521	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	127.00
2510521-D	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, DALI-2	237.00
2510521-D8	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	2700-6500K, 3000 lm, 120°, IP40, weiss, DALI-2 DT8	249.50
2510521-V	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	164.00
2510522	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	127.00
2510522-D	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, DALI-2	237.00
2510522-V	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	164.00
2510523	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	127.00
2510523-D	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, DALI-2	237.00
2510523-V	ProLuce® LED Panel PIAZZA/R 295x595x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	164.00
2510531	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	2700K, 3200 lm, 120°, IP40, weiss, nicht dimmbar	134.50
2510531-D	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	2700K, 3200 lm, 120°, IP40, weiss, DALI-2	291.00
2510531-D8	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	2700-6500K, 3200 lm, 120°, IP40, weiss, DALI-2 DT8	305.50
2510531-V	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	2700K, 3200 lm, 120°, IP40, weiss, 0-10V dimmbar	172.00
2510532	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	3000K, 3200 lm, 120°, IP40, weiss, nicht dimmbar	134.50
2510532-D	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	3000K, 3200 lm, 120°, IP40, weiss, DALI-2	291.00
2510532-V	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	3000K, 3200 lm, 120°, IP40, weiss, 0-10V dimmbar	172.00
2510533	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	4000K, 3200 lm, 120°, IP40, weiss, nicht dimmbar	134.50
2510533-D	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	4000K, 3200 lm, 120°, IP40, weiss, DALI-2	291.00
2510533-V	ProLuce® LED Panel PIAZZA/R 295x895x10 mm 32W	4000K, 3200 lm, 120°, IP40, weiss, 0-10V dimmbar	172.00
2510541	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	2700K, 4000 lm, 120°, IP40, weiss, nicht dimmbar	147.50
2510541-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	2700K, 4000 lm, 120°, IP40, weiss, DALI-2	267.50
2510541-D8	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	2700-6500K, 4000 lm, 120°, IP40, weiss, DALI-2 DT8	281.00
2510541-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	2700K, 4000 lm, 120°, IP40, weiss, 0-10V dimmbar	188.50
2510542	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	3000K, 4000 lm, 120°, IP40, weiss, nicht dimmbar	147.50
2510542-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	3000K, 4000 lm, 120°, IP40, weiss, DALI-2	267.50
2510542-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	3000K, 4000 lm, 120°, IP40, weiss, 0-10V dimmbar	188.50
2510543	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	4000K, 4000 lm, 120°, IP40, weiss, nicht dimmbar	147.50
2510543-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	4000K, 4000 lm, 120°, IP40, weiss, DALI-2	267.50
2510543-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 40W	4000K, 4000 lm, 120°, IP40, weiss, 0-10V dimmbar	188.50
2510551	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	157.50

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2510551-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, DALI-2	310.50
2510551-D8	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	2700-6500K, 4800 lm, 120°, IP40, weiss, DALI-2 DT8	325.50
2510551-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	200.50
2510552	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	157.50
2510552-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, DALI-2	310.50
2510552-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	200.50
2510553	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	157.50
2510553-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, DALI-2	310.50
2510553-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	200.50
2510561	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	168.00
2510561-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	347.00
2510561-D8	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	2700-6500K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	364.50
2510561-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510562	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	168.00
2510562-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	347.00
2510562-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510563	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	168.00
2510563-D	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	347.00
2510563-V	ProLuce® LED Panel PIAZZA/R 595x595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510571	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	178.00
2510571-D	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, DALI-2	315.50
2510571-D8	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	2700-6500K, 4200 lm, 120°, IP40, weiss, DALI-2 DT8	331.50
2510571-V	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510572	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	178.00
2510572-D	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, DALI-2	315.50
2510572-V	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510573	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	178.00
2510573-D	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, DALI-2	315.50
2510573-V	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510581	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	219.00
2510581-D	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	409.00
2510581-D8	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	2700-6500K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	429.50
2510581-V	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	273.50
2510582	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	219.00
2510582-D	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	409.00
2510582-V	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	273.50
2510583	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	219.00
2510583-D	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	409.00
2510583-V	ProLuce® LED Panel PIAZZA/R 620x620x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	273.50
2510591	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	168.00
2510591-D	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, DALI-2	287.00
2510591-D8	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, DALI-2 DT8	301.00
2510591-V	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	2700K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510592	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	168.00
2510592-D	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, DALI-2	287.00
2510592-V	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	3000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510593	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, nicht dimmbar	168.00
2510593-D	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, DALI-2	287.00
2510593-V	ProLuce® LED Panel PIAZZA/R 145x1195x10 mm 30W	4000K, 3000 lm, 120°, IP40, weiss, 0-10V dimmbar	212.50
2510601	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, nicht dimmbar	178.00
2510601-D	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, DALI-2	305.50
2510601-D8	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, DALI-2 DT8	320.50
2510601-V	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	2700K, 3600 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510602	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	3000K, 3600 lm, 120°, IP40, weiss, nicht dimmbar	178.00
2510602-D	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	3000K, 3600 lm, 120°, IP40, weiss, DALI-2	305.50
2510602-V	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	3000K, 3600 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510603	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	4000K, 3600 lm, 120°, IP40, weiss, nicht dimmbar	178.00
2510603-D	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	4000K, 3600 lm, 120°, IP40, weiss, DALI-2	305.50

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2510603-V	ProLuce® LED Panel PIAZZA/R 195x1195x10 mm 36W	4000K, 3600 lm, 120°, IP40, weiss, 0-10V dimmbar	225.00
2510611	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	188.50
2510611-D	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, DALI-2	323.50
2510611-D8	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, DALI-2 DT8	340.00
2510611-V	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	2700K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	237.00
2510612	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	188.50
2510612-D	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, DALI-2	323.50
2510612-V	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	3000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	237.00
2510613	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, nicht dimmbar	188.50
2510613-D	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, DALI-2	323.50
2510613-V	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 42W	4000K, 4200 lm, 120°, IP40, weiss, 0-10V dimmbar	237.00
2510621	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	229.00
2510621-D	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	421.00
2510621-D8	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	442.50
2510621-V	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	286.00
2510622	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	229.00
2510622-D	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	421.00
2510622-V	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	286.00
2510623	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	229.00
2510623-D	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	421.00
2510623-V	ProLuce® LED Panel PIAZZA/R 295x1295x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	286.00
2510631	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	363.50
2510631-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, DALI-2	533.00
2510631-D8	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, DALI-2 DT8	559.50
2510631-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	2700K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	446.50
2510632	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	363.50
2510632-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, DALI-2	533.00
2510632-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	3000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	446.50
2510633	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, nicht dimmbar	363.50
2510633-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, DALI-2	533.00
2510633-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 48W	4000K, 4800 lm, 120°, IP40, weiss, 0-10V dimmbar	446.50
2510641	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	401.00
2510641-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2	603.50
2510641-D8	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, DALI-2 DT8	634.00
2510641-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	2700K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	492.50
2510642	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	401.00
2510642-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, DALI-2	603.50
2510642-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	3000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	492.50
2510643	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, nicht dimmbar	401.00
2510643-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, DALI-2	603.50
2510643-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 60W	4000K, 6000 lm, 120°, IP40, weiss, 0-10V dimmbar	492.50
2510651	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, nicht dimmbar	458.00
2510651-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, DALI-2	696.00
2510651-D8	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, DALI-2 DT8	730.50
2510651-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	2700K, 7200 lm, 120°, IP40, weiss, 0-10V dimmbar	560.50
2510652	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	3000K, 7200 lm, 120°, IP40, weiss, nicht dimmbar	458.00
2510652-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	3000K, 7200 lm, 120°, IP40, weiss, DALI-2	696.00
2510652-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	3000K, 7200 lm, 120°, IP40, weiss, 0-10V dimmbar	560.50
2510653	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	4000K, 7200 lm, 120°, IP40, weiss, nicht dimmbar	458.00
2510653-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	4000K, 7200 lm, 120°, IP40, weiss, DALI-2	696.00
2510653-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 72W	4000K, 7200 lm, 120°, IP40, weiss, 0-10V dimmbar	560.50
2510661	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, nicht dimmbar	538.50
2510661-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, DALI-2	792.50
2510661-D8	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, DALI-2 DT8	832.50
2510661-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	2700K, 9000 lm, 120°, IP40, weiss, 0-10V dimmbar	657.50
2510662	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	3000K, 9000 lm, 120°, IP40, weiss, nicht dimmbar	538.50
2510662-D	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	3000K, 9000 lm, 120°, IP40, weiss, DALI-2	792.50
2510662-V	ProLuce® LED Panel PIAZZA/R 595x1595x10 mm 90W	3000K, 9000 lm, 120°, IP40, weiss, 0-10V dimmbar	657.50

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2511122	ProLuce® LED Panel PIAZZA/65 295x1195 mm, 48W, IP6	4000K, 4800 lm, UGR<19, 300°, weiss, ein/aus	381.50
2511122-D	ProLuce® LED Panel PIAZZA/65 295x1195 mm, 48W, IP6	4000K, 4800 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511122-V	ProLuce® LED Panel PIAZZA/65 295x1195 mm, 48W, IP6	4000K, 4800 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511123	ProLuce® LED Panel PIAZZA/65 295x1195 mm, 48W, IP6	6000K, 4800 lm, UGR<19, 300°, weiss, ein/aus	381.50
2511123-D	ProLuce® LED Panel PIAZZA/65 295x1195 mm, 48W, IP6	6000K, 4800 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511123-V	ProLuce® LED Panel PIAZZA/65 295x1195 mm, 48W, IP6	6000K, 4800 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511131	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	3000K, 4800 lm, UGR<19, 300°, weiss, ein/aus	522.00
2511131-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	3000K, 4800 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511131-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	3000K, 4800 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511132	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	4000K, 4800 lm, UGR<19, 300°, weiss, ein/aus	522.00
2511132-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	4000K, 4800 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511132-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	4000K, 4800 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511133	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	6000K, 4800 lm, UGR<19, 300°, weiss, ein/aus	522.00
2511133-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	6000K, 4800 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511133-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 48W, IP6	6000K, 4800 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511141	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	3000K, 6000 lm, UGR<19, 300°, weiss, ein/aus	545.50
2511141-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	3000K, 6000 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511141-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	3000K, 6000 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511142	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	4000K, 6000 lm, UGR<19, 300°, weiss, ein/aus	545.50
2511142-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	4000K, 6000 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511142-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	4000K, 6000 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511143	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	6000K, 6000 lm, UGR<19, 300°, weiss, ein/aus	545.50
2511143-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	6000K, 6000 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511143-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 60W, IP6	6000K, 6000 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511151	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	3000K, 7200 lm, UGR<19, 300°, weiss, ein/aus	588.00
2511151-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	3000K, 7200 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511151-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	3000K, 7200 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511152	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	4000K, 7200 lm, UGR<19, 300°, weiss, ein/aus	588.00
2511152-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	4000K, 7200 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511152-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	4000K, 7200 lm, UGR<19, 300°, weiss, 0-10V	0.00
2511153	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	6000K, 7200 lm, UGR<19, 300°, weiss, ein/aus	588.00
2511153-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	6000K, 7200 lm, UGR<19, 300°, weiss, DALI-2	0.00
2511153-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm, 72W, IP6	6000K, 7200 lm, UGR<19, 300°, weiss, 0-10V	0.00
LED Panel CALANDRO/FL			
2524001	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 3000K, 120°, 1800 lm, ein/aus	277.00
2524001-D	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 3000K, 120°, 1800 lm, DALI-2	400.00
2524001-D8	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 2700-6000K, 120°, 1800 lm, DALI-2 DT8	420.50
2524001-V	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 3000K, 120°, 1800 lm, 1-10V dimmbar	315.50
2524002	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 4000K, 120°, 1800 lm, ein/aus	277.00
2524002-D	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 4000K, 120°, 1800 lm, DALI-2	400.00
2524002-V	PROLUCE® Panel CALANDRO/FL 295x295mm, 18W	weiss, 4000K, 120°, 1800 lm, 1-10V dimmbar	315.50
2524011	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 3000K, 120°, 2400 lm, ein/aus	321.50
2524011-D	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 3000K, 120°, 2400 lm, DALI-2	448.50
2524011-D8	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 2700-6000K, 120°, 2400 lm, DALI-2 DT8	471.00
2524011-V	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 3000K, 120°, 2400 lm, 1-10V dimmbar	365.50
2524012	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 4000K, 120°, 2400 lm, ein/aus	321.50
2524012-D	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 4000K, 120°, 2400 lm, DALI-2	448.50
2524012-V	PROLUCE® Panel CALANDRO/FL 295x595mm, 24W	weiss, 4000K, 120°, 2400 lm, 1-10V dimmbar	365.50
2524021	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 3000K, 120°, 4000 lm, ein/aus	409.00
2524021-D	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 3000K, 120°, 4000 lm, DALI-2	545.50
2524021-D8	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 2700-6000K, 120°, 4000 lm, DALI-2 DT8	573.00
2524021-V	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 3000K, 120°, 4000 lm, 1-10V dimmbar	461.00
2524022	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 4000K, 120°, 4000 lm, ein/aus	409.00
2524022-D	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 4000K, 120°, 4000 lm, DALI-2	545.50
2524022-V	PROLUCE® Panel CALANDRO/FL 595x595mm, 40W	weiss, 4000K, 120°, 4000 lm, 1-10V dimmbar	461.00
2524031	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 3000K, 120°, 4800 lm, ein/aus	427.50
2524031-D	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 3000K, 120°, 4800 lm, DALI-2	565.50

Preisliste LED Panel

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2524031-D8	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 2700-6000K, 120°, 4800 lm, DALI-2 DT8	594.00
2524031-V	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 3000K, 120°, 4800 lm, 1-10V dimmbar	481.50
2524032	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 4000K, 120°, 4800 lm, ein/aus	427.50
2524032-D	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 4000K, 120°, 4800 lm, DALI-2	565.50
2524032-V	PROLUCE® Panel CALANDRO/FL 595x595mm, 48W	weiss, 4000K, 120°, 4800 lm, 1-10V dimmbar	481.50
2524041	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 3000K, 120°, 4800 lm, ein/aus	442.50
2524041-D	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 3000K, 120°, 4800 lm, DALI-2	582.00
2524041-D8	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 2700-6000K, 120°, 4800 lm, DALI-2 DT8	611.50
2524041-V	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 3000K, 120°, 4800 lm, 1-10V dimmbar	498.50
2524042	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 4000K, 120°, 4800 lm, ein/aus	442.50
2524042-D	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 4000K, 120°, 4800 lm, DALI-2	582.00
2524042-V	PROLUCE® Panel CALANDRO/FL 620x620mm, 48W	weiss, 4000K, 120°, 4800 lm, 1-10V dimmbar	498.50
2524051	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 3000K, 120°, 4800 lm, ein/aus	586.00
2524051-D	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 3000K, 120°, 4800 lm, DALI-2	740.00
2524051-D8	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 2700-6000K, 120°, 4800 lm, DALI-2 DT8	776.50
2524051-V	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 3000K, 120°, 4800 lm, 1-10V dimmbar	656.50
2524052	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 4000K, 120°, 4800 lm, ein/aus	586.00
2524052-D	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 4000K, 120°, 4800 lm, DALI-2	740.00
2524052-V	PROLUCE® Panel CALANDRO/FL 295x1195mm, 48W	weiss, 4000K, 120°, 4800 lm, 1-10V dimmbar	656.50
2524061	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 3000K, 120°, 6000 lm, ein/aus	604.50
2524061-D	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 3000K, 120°, 6000 lm, DALI-2	760.00
2524061-D8	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 2700-6000K, 120°, 6000 lm, DALI-2 DT8	797.50
2524061-V	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 3000K, 120°, 6000 lm, 1-10V dimmbar	675.50
2524062	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 4000K, 120°, 6000 lm, ein/aus	604.50
2524062-D	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 4000K, 120°, 6000 lm, DALI-2	760.00
2524062-V	PROLUCE® Panel CALANDRO/FL 295x1195mm, 60W	weiss, 4000K, 120°, 6000 lm, 1-10V dimmbar	675.50